



Precision Cut Off Machine

BAINCUT LSS PLUS

Low Speed Saw Plus




Chennai Metco
for your metallurgy



Baincut LSS Plus

A precision section saw designed for cutting all types of materials with ease

Low-Speed Precision cutter is applicable to accurate cutting of hard materials, especially to high-value fragile artificial crystal



Micrometer for Cross
Feed Adjustment 25 mm



Automatic Cut-off Switch



Hood safety latch

LSS003A

- A precision section saw designed for cutting all types of materials with table top machine.
- Low-Speed Precision cutter is applicable to accurate cutting of hard materials, especially to high-value fragile artificial crystal
- Cutting capacity up to 40mm - 4" to 7" Wheel
- Aluminum base and stainless steel construction Door System.
- Distinctive aluminium alloy with high strength and anti-corrosive coating
- Stainless steel high exactness axle arrangement of 10 to 20 microns
- The Spindle has high accuracy of operation, the horizontal feed position of the processed work piece can slightly be adjusted, and the machine can be power-off automatically after cutting is finished
- Positioning accuracy 10 micron
- Arbor size-12.7mm x 25.4mm x 31.75mm
- Advance Color touch Innovative microchip technology operator interface.
- Precision specimen drive arrangement with accuracy not exceeding 10 microns
- Micrometer for cross-feed adjustment (0 - 25mm)
- Single Phase 180watts AC Motor
- Continuously Variable speed rpm 60-1000 rpm
- Emergency Stop for safety purpose
- The machine with a safety switch can work without a man
- Automatic Cut-Off system cutting with gravity feed
- Down-feed facility with variable weights up to 400 gram
- Easy movable Built-in Re-Circulation stainless steel coolant tray.
- Four kinds of fixtures enables the processed work piece to be sectioned at the optimal angle
- CE Compliance
- Machine Size: 650mmX550mmX420mm
- Machine Color: Door RAL 7040
- Electrical: 220 V, 50 Hz (1 + N + E)



Cleaning hose




Down-feed facility with different weights upto 400 grms




Recirculating tank



Five kinds of (Accessories) fixtures enables the processed work piece to be sectioned at the optimal angle





© Copyright 2024

Chennai Metco

C8, Ambattur Industrial Estate, Chennai - 600 058.

Ph: 044-6908 0710 / 044-2688 0737, Fax: 044-2688 0850

e-mail: mktg@chennaietco.com, mktghead@chennaietco.com

www.chennaietco.com

